Thin Solid Films, *180* (1989) v–viii

Contents

BIOLOGICAL ASPECTS

Small odorant molecules affect steady state properties of monolayers 1
H. Ito, T. H. Morton (Riverside, CA, U.S.A.) and V. Vodyanoy (Auburn, AL, U.S.A.)

Electrochemical and immunoelectron microscopy evidence of lipid–protein interaction in Langmuir–Blodgett films of the human lung surfactant 15
E. Ladanyi (Göttingen, F.R.G.), I. R. Miller (Rehovot, Israel), D. Möbius (Göttingen, F.R.G.), R. Popovits-Biro, Y. Marikovsky (Rehovot, Israel), P. von Wichert, B. Müller (Marburg, F.R.G.) and K. Stalder (Göttingen, F.R.G.)

Binding of ferritin molecules to a charged polypeptide layer of poly-l-benzyl-L-histidine 23
T. Furuno, H. Sasabe and K. M. Ulmer (Saitama, Japan)

Fluorescence properties of Langmuir–Blodgett films of chlorophyll *a* mixed with membrane lipids 31
G. Picard (Trois-Rivières, Quebec, Canada), J. Aghion (Liège, Belgium), C. le Crom (Montpellier, France) and R. M. Leblanc (Trois-Rivières, Quebec, Canada)

Simulation of the primary process in photosynthetic reaction centre by monolayer with charge separation triad and antenna molecules 43
M. Fujihira, M. Sakomura and T. Kamei (Tokyo, Japan)

Interactions of bioactive compounds with lipid membranes deposited on a quartz crystal microbalance 51
Y. Okahata, X. Ye, A. Shimizu and H. Ebato (Tokyo, Japan)

Preparation and characterization of protein Langmuir–Blodgett films 61
K. Owaku (Yokohama, Japan), H. Shinohara, Y. Ikariyama and M. Aizawa (Tokyo, Japan)

Preparations of Langmuir–Blodgett films of enzyme–lipid complexes: a glucose sensor membrane 65
Y. Okahata, T. Tsuruta, K. Ijiro and K. Ariga (Tokyo, Japan)

A novel photoreactive amphiphile of nitrophenylazide for immobilization of bioactive proteins 73
T. Miyasaka, Y. Maekawa and K. Koyama (Kanagawa, Japan)

Light-induced electrical responses of dried chromatophore film: effect of the addition of cytochrome c 85
T. Majima, J. Miyake, M. Hara, S.-I. Ajiki, H. Sugino and H. Toyotama (Tsukuba, Japan)

Evanescent field fluorescence detection of adsorption of FITC–insulin to supported asymmetric bilayers 89
S.-F. Sui (Beijing, China)

Specific recognition and formation of two-dimensional streptavidin domains in monolayers: applications to molecular devices 93
M. Ahlers, R. Blankenburg, D. W. Grainger, P. Meller, H. Ringsdorf and C. Salesse (Mainz, F.R.G.)

Specific and unspecific binding of concanavalin A at monolayer surfaces . . . 101
H. Haas and H. Möhwald (Mainz, F.R.G.)

Phospholipid-based potassium-selective Langmuir–Blodgett films 111
V. A. Howarth, D. F. Cui, M. C. Petty, H. Ancelin and J. Yarwood (Durham, U.K.)

Non-linear characteristics of lipid monolayers in relation to the ability to self-organize 117
K. Yoshikawa, M. Makino (Nagoya, Japan), S. Nakata (Nara, Japan) and T. Ishii (Yokohama, Japan)

Stability and characterization of phospholipid Langmuir–Blodgett films . . . 123
S. Matuoka, H. Asami, I. Hatta (Nagoya, Japan), T. Ishii (Yokohama, Japan) and K. Yoshikawa (Nagoya, Japan)

Biomimetic ion-channel sensors based on host–guest molecular recognition in Langmuir–Blodgett membrane assemblies 129
M. Sugawara, M. Kataoka, K. Odashima and Y. Umezawa (Sapporo, Japan)

Properties of mixed chlorophyll *a*–glycolipid monolayers 135
D. Ducharme (Shawinigan, Quebec, Canada), O. Shibata (Fukuoka, Japan), G. Munger and R. M. Leblanc (Trois-Rivières, Quebec, Canada)

SELF ASSEMBLY SYSTEMS

The characterization of tubule-forming polymerizable phospholipids 141
J. B. Lando and J. E. Hansen (Cleveland, OH, U.S.A.)

Thermal behaviour of polymeric Langmuir–Blodgett multilayers 153
C. Erdelen, A. Laschewsky, H. Ringsdorf, J. Schneider and A. Schuster (Mainz, F.R.G.)

Preparation and luminescence properties of the J aggregate of cyanine dyes in phospholipid Langmuir–Blodgett films 167
Y. Yonezawa, T. Hayashi, T. Sato and H. Hada (Kyoto, Japan)

Fabrication of heterostructures of halogen-bridged quasi-one-dimensional mixed-valence transition metal complexes 173
K. Takahashi, H. Tanino and T. Yao (Tsukuba, Japan)

Aggregation morphology of synthetic peptidic amphiphiles 179
T. Shimizu and M. Hato (Tsukuba, Japan)

APPLICATION OF LANGMUIR–BLODGETT FILMS

Electrical properties of polyimide Langmuir–Blodgett films sandwiched between superconducting electrodes: detection of microwaves. 185
M. Iwamoto, T. Kubota (Tokyo, Japan) and M. Sekine (Yokohama, Japan)

Highly sensitive NO_2 optical detector with squarylium dye Langmuir–Blodgett film containing J aggregate 193
M. Furuki, K. Ageishi, S. Kim, I. Ando and L. S. Pu (Kanagawa, Japan)

Structural control of vacuum-deposited thin films by the use of a Langmuir–Blodgett multilayer 199
T. Inoue, K. Yase, M. Okada (Hiroshima, Japan), S. Okada, H. Matsuda, H. Nakanishi and M. Kato (Tsukuba, Japan)

Enzyme electrodes with conductive polymer membranes and Langmuir–Blodgett films 205
J. R. Li, M. Cai, T. F. Chen and L. Jiang (Beijing, China)

Thermal imaging using organic films 211
G. G. Roberts and B. Holcroft (Oxford, U.K.)

Integrated metal–Langmuir–semiconductor field effect transistors 217
G. L. Larkins, Jr., (Miami, FL, U.S.A.), C. D. Fung (Foxboro, MA, U.S.A.) and S. E. Rickert (Cleveland, OH, U.S.A.)

Molecular film technology for biosensors 227
M. Aizawa, K. Owaku, M. Matsuzawa, H. Shinohara and Y. Ikariyama (Tokyo, Japan)

Counter-ion effect of merocyanine J aggregates: formation and structural change upon chemical and thermal treatments 235
T. Kawaguchi and K. Iwata (Tokyo, Japan)

Gas transfer in supported Langmuir–Blodgett films of polymeric lipids. . . . 241
P. Stroeve, M. A. N. Coelho, S.-X. Dong, P. Lam, L. B. Coleman, T. G. Fiske (Davis, CA, U.S.A.), H. Ringsdorf and J. Schneider (Mainz, F.R.G.)

Surface-enhanced resonance Raman scattering of Langmuir–Blodgett monolayers of copper phthalocyanine–tetrasulphonate by island films 249
Y. Bai, Y. Zhao, L. Zhang, K. Tian, X. Tang and T. Li (Changchun, China)

Photosensitive polyimide Langmuir–Blodgett films derived from 4-(17-octadecenyl)pyridine and polyamic acid 253
M. Suzuki (Kanagawa, Japan)

The preparation of high quality Y-type polyimide Langmuir–Blodgett films . 263
S. Baker, A. Seki and J. Seto (Yokohama, Japan)

Application of polyimide Langmuir–Blodgett films to deep UV resists 271
M. Uekita, H. Awaji, M. Murata and S. Mizunuma (Kobe, Japan)

Langmuir–Blodgett films as lubricating layers for enhancing the useful life of high density hard disks. 277
T. Ginnai, A. Harrington, V. Rodov (Torrance, CA, U.S.A.), M. Matsuno and K. Saito (Tokyo, Japan)

Frictional properties of monomolecular layers of silane compounds 287
E. Ando, Y. Goto, K. Morimoto (Osaka, Japan), K. Ariga and Y. Okahata (Tokyo, Japan)

Study on the concentration of an enzyme immobilized by Langmuir–Blodgett films. 293
S. Miyauchi, S. Arisawa, T. Arise and R. Yamamoto (Tokyo, Japan)

Dry formation of a fatty acid crystallized thin film and application as an electron beam resist 299
H. Kato, M. Tawata, S. Morita and S. Hattori (Nagoya, Japan)

Optical applications of IR-absorbing Langmuir–Blodgett films 305
D. Heard, G. G. Roberts, M. J. Goringe (Oxford, U.K.) and J. Griffiths (Leeds, U.K.)

AUTHOR INDEX 311